FISEVIER

Contents lists available at SciVerse ScienceDirect

Journal of Forensic and Legal Medicine

journal homepage: www.elsevier.com/locate/jflm



Case report

A case of a serial sexual offender: The first ever report from Turkey

C. Zeren M.D., Assistant Prof. ^{a,*}, M.M. Arslan M.D., Assosiation Prof. ^a, R. Karanfil M.D., Assistant Prof. ^b, R. Akcan M.D., Lecturer ^c

- ^a Mustafa Kemal University, Medical Faculty, Department of Forensic Medicine, 31100 Hatay, Turkey
- ^b Sutcu Imam University, Medical Faculty, Department of Forensic Medicine, 46102 Kahramanmaras, Turkey
- ^c Hacettepe University, Medical Faculty, Department of Forensic Medicine, 06030 Ankara, Hatay, Turkey

ARTICLE INFO

Article history: Received 11 July 2011 Received in revised form 1 March 2012 Accepted 21 April 2012 Available online 31 May 2012

Keywords: Serial sexual assault The assailant Victim

ABSTRACT

There have been cases of serial sexual offenders and studies dealing with such cases in the literature. However, no serial sexual offender case was reported in Turkey, to the best of our knowledge. In this article, as the first report from Turkey, we present a serial sexual offender who assaulted 27 women. The assailant entered a total of 29 houses, and assaulted victims in 27 of them, and he failed to assault two individuals. The 'modus operandi' of the offender was identical in all assault cases and led the police towards a hypothesis that these assaults were all committed by the same individual. The offender did not admit the assaults and strictly refused a forensic psychiatric examination. Being an individual with a high level of education, having a respected position and profession, choosing women aged older than 18 years as victims were among distinctive features of the presented offender.

© 2012 Elsevier Ltd and Faculty of Forensic and Legal Medicine. All rights reserved.

1. Introduction

Crimes against sexual integrity are sexual behaviours committed without consent of the targeted person. Sexual behaviours against a person, whose consent is invalid because of being at a low age and suffering from mental disabilities, are also considered in this context. ^{1,2} Sexual crimes directed against children as victims is described as child sexual abuse while it is defined as sexual assault when committed against an adolescent or adult. ^{3–5} It has been reported that a considerable number of assault sexual cases are not disclosed by victims because of certain factors. Therefore, the exact frequency of cases of sexual violence is considered to be much higher than reported. ^{6–8}

The term 'serial sexual offender' describes offenders who have three or more victims in a sequence using acts of sexual behaviour. There have been cases of serial sexual offenders and studies dealing with such cases in the literature. However, no serial sexual offender case was reported in Turkey, to the best of our knowledge. In this article, as the first report from Turkey, we present a serial sexual offender who assaulted 27 women, which shows a number of distinctive characteristics, such as the offender with a high level of education, having a respected position and profession, and choosing women aged older than 18 years as victims.

2. Case history

There were 27 reports of sexual assault by the same offender between June 2009 and October 2010, in a Hatay province. It was noticed that the assaults occurred between 01:00 am and 05:00 am. The assailant entered a total of 29 houses, and assaulted victims in 27 of them, and he failed to assault two individuals. Balcony doors and windows were used for entering houses that were investigated after the complaints. Scene investigations revealed that the perpetrator cut off power supply connection of these houses and broke some of the closed doors or windows. According to the victims' statements, the offender had a knife or a gun and warned the victims by closing their mouth and threatened them with murder. In some cases, the offender slapped or punched the victims, the physical violence by the offender was restricted only to this. The offender ran away after leaving his blank cartridge gun and knife in a few houses. In four cases of assault, the offender entered the victim's room after locking the doors of other family members. After threatening them, the offender warned the victims that he would not rape them and he just wanted to kiss and touch their bodies. The 'modus operandi' of the offender was identical in all assault cases and led the police towards a hypothesis that these assaults were all committed by the same individual. A relative of one of the victims chased the offender and notified to the police the plate number of the car of the escaping offender. Thereafter, following the last two assaults on the same night, police force identified the location of the car and the offender was detained. Six

^{*} Corresponding author. Tel.: +90 326 2291000x2892; fax: +90 326 2455305. E-mail address: drotopsi@yahoo.com (C. Zeren).

of the victims identified the offender, four of them identified the offender from his picture without facing him. Eight cases expressed that the detained was the possible offender. The assailant was sent to court after the DNA of the offender matched with the biological samples obtained from the examination of the victims.

3. Characteristics of victims

The 27 victims were all women and ages of victims ranged between 18 and 73. Two victims were 18 years old, and four victims were over 65 years. Four victims were estranged from their husbands; one of them was living alone and others were living with their families. The husbands of 13 victims were at home during the assault. Eleven victims were staying with other family members during the event. Four unmarried victims were staying with their parents. Among victims from the geriatric age group, two were alone at home, while the others were staying with their children and grandchildren in the same house. Sexual penetration was not described in any of cases; however, kissing, touching, fondling and interfemoral intercourse were reported. The DNA profile extracted from biological samples obtained during examination of five victims was matched with the DNA profile of the offender.

4. The profile of the offender

The offender, a 41-year-old male, was married and had two children. He was a teacher for 18 years. He was known as a responsible man and he was respected in his social and professional life. He had no previous medical history for psychiatric disorders or psychological problems. His wife was a nurse and the family did not have any domestic problems. In addition, the offender had an extramarital affair with another woman. In two cases, the offender introduced himself, to victims, as a policeman. He stated that he knew only two of the victims before the assault. He refused the accusation about him and claimed that he did not enter any home. Furthermore, the offender expressed that he did not commit any kind of sexual behaviour against a woman except his wife. The offender was a social alcohol user and he never used a substance before.

5. Discussion and conclusion

Young adults, frequently those between 16 and 19 years of age, have been reported to be the most common population who are subjected to sexual assault. The perpetrators are reported to be usually a person from a familiar environment. 9,10

In Turkey, previously conducted studies have revealed that victims were mostly aged between 11 and 18 years, and the perpetrators were mostly non-relative acquaintance of victims. $^{11-13}$ A previous study by our team in the same region revealed that 86.6% of victims of sexual assault were aged \leq 18 years. 14 However, in contrast to the literature, in the present case, only two victims were 18 years old, while the remaining were over 20 years and the offender was unknown to the victims. In the presented case, no offence against children and adolescents under 18 years of age and the elderly was noticed.

The frequency of sexual assault cases is known to be higher than that reported in the literature. The victims sometimes may be reluctant to disclose and conceal the assault because of secrecy, self-blame, fear from the perpetrator, fear of being accused and possible social consequences of diclosure. Thus, a considerable number of cases delayed or failed to disclose the sexual assault. The presented case, all victims notified the police regarding the assault. The majority of the victims were living with family members. The presence of certain similar reports from the

same province might be a facilitating factor for disclosure by all victims. On the other hand, there still might be victims concealing the assault because of the above-mentioned factors.

The examination of sexual assault victims within a short period of time following the assault is of high importance in terms of obtaining reliable evidence of assault.^{15–17} In the presented case, biological samples belonging to the offender were obtained during the examination of victims in a short period of time. The assailant was arrested after the DNA of the offender matched with the profile extracted from the biological samples obtained from the examination of the victims. Therefore, the case was solved by police investigation, DNA matching and recognition of the perpetrator by the victims.

In a number of studies, the offenders were reported to be familiar to the victims. 18-24 However, in this case, the offender was not known by any of the victims before the assault. Another peculiar point was that the assailant entered homes by opening or breaking door/windows without ensuring if there was anyone else present or not. At the beginning, the motivation of the offender to committing these assaults was considered to be a strong sexual impulse. However, being married and the presence of an extramarital affair might exclude this explanation. No penetration or rape attempt was reported by any of victims; furthermore, during the assault the offender had stated that kissing and touching victims' bodies was his only desire. Therefore, explaining a certain motivation of the offender seems to be impossible; yet, it might be to feel that he had the strength to achieve all that he desired, as in most similar cases. However, since the offender did not admit the assaults and strictly refused a forensic psychiatric examination/interview, the motivation for the assaults and the choice of victims over 18 years of age remains unclear.

In conclusion, being an individual with high a level of education, having a respected position and profession, choosing women aged older than 18 years as victims, excluding females under 18 years of age and elderly ones, performing the same 'modus operandi' for all assaults and not being willing to perform penetration were distinctive features of the presented offender.

Conflict of interest None declared.

Funding None declared.

Ethical approval
None declared.

References

- 1. Chu LC, Tung WK. The clinical outcome of 137 rape victims in Hong Kong. *Hong Kong Med J* 2005;**11**(5):391–6.
- Christian CW, Lavelle JM, De Jong AR, Loiselle J, Brenner L, Joffe M. Forensic evidence findings in prepubertal victims of sexual assault. *Pediatrics* 2000;106(1 Pt 1):100–4.
- Karanfil R, Toprak S, Arslan MM. The analysis of cases under suspicion of anal sexual assault in Kahramanmaras between 2005 and 2007. Bull Leg Med 2008;13(1):19-24.
- Arslan MM, Kar H, Akçan R, Çekin N. Hatay Ağır Ceza Mahkemesinde Karara Bağlanan Cinsel Suçların Analizi. Turkish J Forensic Sci 2008; 7(2):35–9.
- 5. Grossin C, Sibille I, Grandmaison GL, Banasr A, Brion F, Durigon M. Analysis of 418 cases of sexual assault. *Forensic Sci Int* 2003;**131**(2–3):125–30.
- Masho SW, Odor RK, Adera T. Sexuel assault in Virginia: a population-based study. Womens Health Issue 2005;15(4):157–66.
- Nasta A, Shah B, Brahmanandam S, Richman K, Vittels K, Allsworth J, et al. Sexual victimization: incidence, knowledge and resource use among a population of collage women. J Pediatr Adolesc Gynecol 2005;18(2):91–6.

- 8. Monroe LM, Kinney LM, Weist MD, Dafeamekpor DS, Dantzler J, Reynolds MW. The experience of sexual assault: findings from a statewide victim needs assessment. *J Interpers Violence* 2005;**20**(7):767–76.
- 9. Girardin B, Faugno D, Howitt J. Adult sexual assault: practical management. In: Payne J, Busutil A, Smock A, editors. *Forensic medicine clinical and pathological aspects*. San Francisco, London: GMM Publishing; 2003. p. 409–51.
- Saint-Martin P, Bouyssy M, O'Byrne P. Analysis of 756 cases of sexual assault in Tours (France): medico-legal findings and judicial outcomes. *Med Sci Law* 2007;47(4):315–24.
- 11. Aydın B, Çolak B. Sexual crime cases those reflected penalty courts in Samsun. Bull Leg Med 2004;9(1):11–8.
- 12. Dirlik M, Özkök MS, Katkıcı U, Erel Ö. Aydın'da Cinsel Suç ve Suçluların Profili. Bull Leg Med 2002;**7**(3):97—104.
- Çekin N, Hilal A, Bilgin N, Alper B, Gülmen KM, Savran B, et al. Analysis of sexual crimes prosecuted in Adana criminal justice court. *Bull Leg Med* 1998:3(3):81-5.
- Arslan MM, Kar H, Akçan R, Çekin N. Analysis of sexual crimes prosecuted in Hatay criminal justice court. *Turkish J Forensic Sci* 2008;7(2):35–9.
- Jones JS, Rossman L, Wynn BN, Dunnuck C, Schwartz N. Comparative analysis of adult versus adolescent sexual assault: epidemiology and patterns of anogenital injury. Acad Emerg Med 2003 Aug; 10(8):872-7.

- 16. Lauritsen AK, Meldgaard K, Charles AV. Forensic examination of sexually abused children. *J Forensic Sci* 2000 Jan;**45**(1):115–7.
- Read KM, Kufera JA, Jackson MC, Dischinger PC. Population-based study of police-reported sexual assault in Baltimore, Maryland. Am J Emerg Med 2005;23(3):273–8.
- Peipert JF, Domagalski LR. Epidemiology of adolescent sexual assault. Obstet Gynecol 1994 Nov;84(5):867–71.
- Muram D, Hostetler BR, Jones CE, Speck PM. Adolescent victims of sexual assault. J Adolesc Health 1995 Dec; 17(6):372-5.
- Sahu G, Mohanty S, Dash JK. Vulnerable victims of sexual assault. Med Sci Law 2005 Jul;45(3):256–60.
- Csorba R, Aranyosi J, Borsos A, Balla L, Major T, Poka R. Characteristics of female child sexual abuse in Hungary between 1986 and 2001: a longitudinal, prospective study. Eur J Obstet Gynecol Reprod Biol 2005 Jun 1;120(2):217–21.
- Carlstedt A, Forsman A, Soderstrom H. Sexual child abuse in a defined Swedish area 1993–97: a population-based survey. Arch Sex Behav 2001 Oct; 30(5): 483–93
- 23. Nduati RW, Muita JW. Sexual abuse of children as seen at Kenyatta national hospital. East Afr Med J 1992 Jul;69(7):350–4.
- Dube R, Hebert M. Sexual abuse of children under 12 years of age: a review of 511 cases. Child Abuse Negl 1988;12(3):321–30.